117 COMPUTER STENCIL

DESCRIPTION

Computer-cut, high quality, durable stencil coated with an advanced, medium tack, rubber-based pressure-sensitive adhesive protected by a clear polyester liner. Designed for precision cutting in slot-hole pattern Gerber[®] 15" and 30" plotters. The 15" widths will also track accurately in IBM[®] pattern and friction-fed cutters. #117 is designed and recommended for use on polished granite or marble, primed/ painted wood, and HDU foam-board.

PRODUCT APPLICATIONS

Replacement for #111 in Gerber[®] plotter applications. Excellent choice for deep sandblast etching of glass. For optimum performance on stone, use with #211 or #333 stencil fillers.

STANDARD SIZES

15" x 10 yards 30" x 10 yards

INTERTAPE POLYMER GROUP® TECHNICAL DATA SHEET

NOMINAL VALUES

The following data are nominal values based on PSTC, ASTM and other standard tests. The data should not be considered as specifications.

| Adhesive | Medium Tack / Rubber |
|---|----------------------|
| Total Thickness (mil) PSTC-133 | 40 (1.02mm) |
| Tensile Strength (Ibs/in) PSTC-131 | 5 (21.9 N/25mm) |
| 180° Adhesion to Steel (oz/in) PSTC-101 | 23 (6.3 N/25mm) |
| Elongation (% at break) PSTC-131 | 350 |
| | |



100 Paramount Drive, Suite 300 | Sarasota, FL 34232 | USA Customer Service: 800.IPG.8273 | 800.474.8273

Tape Technical Service: 877.447.4832

www.itape.com | info@itape.com

While we believe them to be reliable, the statements and information herein are only for general guidance and are not warrants or guarantees for accuracy and completeness. The user must, by test or otherwise, determine suitability for this purpose. There is no warranty of fitness for a particular purpose. Our standard term and conditions of sale apply exclusively to all orders, and all liability for damages of any kind, including consequential, exceeding purchase price is excluded. No one is authorized by us to make oral warranties. We reserve the right to make changes without notice or obligation in our products and publications.

EFFECTIVE: 05/14

