

SAFETY DATA SHEET

Issue Date 01-Jun-2015

Revision Date 04-Nov-2015

Version 2

1. IDENTIFICATION

Product identifier Product Name	ENDURANCE PLUS MIXING BASE			
<u>Other means of identification</u> Product Code Synonyms	EL0209 EL020901, EL020903, EL020904, EL020905, EL020907, EL020908, EL020909, EL020910, EL020912, EL020913, EL020914, EL020915, EL020916, EL020917, EL020919, EL020920, EL020921, EL020922, EL020923, EL020933, EL020935, EL020955			
Recommended use of the chemical and restrictions on useRecommended UseTextile ink. Restricted to professional users.Uses advised againstNo information available				
Details of the supplier of the safety Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046	<u>data sheet</u>			
E-mail address	product_safety@rutlandinc.com			
Emergency telephone number				

Emergency telephone number Emergency Telephone

INFOTRAC 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute IOXICITY - Definial ICategory 4	Acute toxicity	/ - Dermal	Category 4
---------------------------------------	----------------	------------	------------

Label elements

	Emergency Overview	
Warning		
Hazard statements Harmful in contact with skin		
The product contains i	no substances which at their given concentration, are considered to be hazard	lous to health
Appearance viscous	Physical state liquid	Odor Low
Precautionary Statements - P Wear protective gloves/protective Precautionary Statements - R Specific treatment (see .? on th IF ON SKIN: Wash with plenty of	ve clothing/eye protection/face protection Response nis label)	
	ctor/physician if you feel unwell	
Precautionary Statements - D Dispose of contents/container to	Disposal o an approved waste disposal plant	
Hazards not otherwise classi Not applicable	fied (HNOC)	
Other Information Not applicable		
Unknown acute toxicity	31.9% of the mixture has not undergone testing for acute toxicity	
	3. COMPOSITION/INFORMATION ON INGREDIENTS	
Substance		

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
CALCIUM CARBONATE	1317-65-3	10 - 30	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.			
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.			
Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.			
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.			
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.			
Self-protection of the first aider	Use personal protective equipment as required.			
Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			

Advice on safe handlingAvoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.
Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed in a dry and well-ventilated placeKeep out of the reach of children

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³ respirable fraction	-	-
CALCIUM CARBONATE 1317-65-3	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

.

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-
CALCIUM CARBONATE 1317-65-3	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³	-	TWA: 10 mg/m ³

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	-	TWA: 1 mg/m ³	-
CALCIUM CARBONATE 1317-65-3	-	TWA: 5 mg/m ³ TWA: 10 mg/m ³	-	TWA: 5 mg/m ³ TWA: 10 mg/m ³

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-	-	-
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	
Appearance	
Color	

Property _____

pН Melting point/freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content Density Bulk density liquid viscous White to off-white

Values

No information available 232 °C / 450 °F 96 °C / 205 °F No information available No information available

No information available No information available No information available No information available 1.2 Insoluble in water No information available No information available

No information available No information available 15 g/L No information available No information available Odor Odor threshold Low No information available

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informatio	n available.			
Germ cell mutagenicity	No informatio	No information available.			
Carcinogenicity	The table belo	ow indicates whether each	agency has listed any ing	gredient as a carcinogen.	
Chemical Name	ACGIH	IARC	NTP	OSHA	
PVC HOMOPOLYMER	-	Group 3	-	-	
RESIN					
9002-86-2					
IARC (International Age	ency for Research on Cancer	-)			
Not classifiable as a hum	an carcinogen				
Reproductive toxicity	No information available.				
STOT - single exposure	No informatio	No information available.			
STOT - repeated exposu	re No informatio	No information available.			
Target Organ Effects	Eyes, Respira	Eyes, Respiratory system, Skin.			
Aspiration hazard	No information available.				
Numerical measures of t	oxicity - Product Informa	ation			
The following values are	calculated based on cha	pter 3.1 of the GHS docu	ment .		
ATEmix (oral)	38243 mg/kg	-			
ATEmix (dermal)	1531 mg/kg				

ATEMIX (oral)	30243 mg/kg
ATEmix (dermal)	1531 mg/kg
ATEmix (inhalation-gas)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

79.7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

<u>Bioaccumulation</u> No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

On Inventory (Yes/No)

TSCA	Yes
DSL/NDSL	Yes
EINECS/ELINCS	No
ENCS	Yes
IECSC	Yes
KECL	Yes
PICCS	Yes
AICS	Yes

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
CALCIUM CARBONATE 1317-65-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date	01-Jun-20	015		

04-Nov-2015

Revision Date Revision Note (M)SDS sections updated 3

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet