



Issue Date 01-Jun-2015

Revision Date 04-Nov-2015

Version 2

# **1. IDENTIFICATION**

Product identifier Product Name	NPT NATURAL BASE M3
<u>Other means of identification</u> Product Code Synonyms	M30063 M3006301, M3006303, M3006304, M3006305, M3006307, M3006308, M3006309, M3006310, M3006312, M3006313, M3006314, M3006315, M3006316, M3006317, M3006319, M3006320, M3006321, M3006322, M3006323, M3006333, M3006335, M3006355
Recommended use of the chemical Recommended Use Uses advised against Details of the supplier of the safety Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134	Textile ink. Restricted to professional users. No information available
Tel: 704-553-0046 E-mail address	product_safety@rutlandinc.com
Emergency telephone number Emergency Telephone	INFOTRAC 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

## **Classification**

## OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4

## Label elements

Emergency Overview				
Warning				
Hazard statements Harmful in contact with skin				
The product contains r	no substances which at their given concentration, are considered to be haz	ardous to health		
Appearance viscous	Physical state liquid	Odor Low		
	ve clothing/eye protection/face protection			
Precautionary Statements - R Specific treatment (see .? on th IF ON SKIN: Wash with plenty of Call a POISON CENTER or doo Wash contaminated clothing be	is label) of soap and water ctor/physician if you feel unwell			
Precautionary Statements - D Dispose of contents/container to	<b>Disposal</b> o an approved waste disposal plant			
Hazards not otherwise classi Not applicable	fied (HNOC)			
Other Information Not applicable				
Unknown acute toxicity	31.9% of the mixture has not undergone testing for acute toxicity			
	3. COMPOSITION/INFORMATION ON INGREDIENTS			
Substance				

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
CALCIUM CARBONATE	1317-65-3	10 - 30	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

## **Description of first aid measures**

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

# **5. FIRE-FIGHTING MEASURES**

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures Personal precautions Ensure adequate ventilation, especially in confined areas. Environmental precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See section 12 for additional ecological information.

## Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upCover liquid spill with sand, earth or other non-combustible absorbent material. Use<br/>personal protective equipment as required. Dam up. Take up mechanically, placing in<br/>appropriate containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handlingAvoid contact with skin, eyes or clothing. Use personal protective equipment as required.<br/>Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.<br/>Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed in a dry and well-ventilated placeKeep out of the reach of children

Incompatible materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	-
CALCIUM CARBONATE 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

.

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
CALCIUM CARBONATE 1317-65-3	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-	TWA: 10 mg/m³

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
CALCIUM CARBONATE 1317-65-3	-	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-	-	-
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>

#### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	
Appearance	
Color	

## Property

pН Melting point/freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive properties Oxidizing properties** 

## **Other Information**

Softening point Molecular weight VOC Content Density Bulk density liquid viscous White to off-white

## Values

No information available 232 °C / 450 °F 96 °C / 205 °F No information available No information available

No information available No information available No information available No information available 1.2 Insoluble in water No information available No information available

No information available No information available 15 g/L No information available No information available Odor Odor threshold Low No information available

#### Remarks • Method

**10. STABILITY AND REACTIVITY** 

#### Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied.

#### **11. TOXICOLOGICAL INFORMATION** Information on likely routes of exposure **Product Information** No data available Inhalation No data available. Eye contact No data available. No data available. Skin contact No data available. Ingestion Information on toxicological effects No information available. Symptoms Delayed and immediate effects as well as chronic effects from short and long-term exposure No information available. Sensitization No information available. Germ cell mutagenicity Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. Chemical Name ACGIH IARC NTP OSHA PVC HOMOPOLYMER Group 3 RESIN 9002-86-2 IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. Target Organ Effects Eyes, Respiratory system, Skin. No information available. Aspiration hazard Numerical measures of toxicity - Product Information The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 38243 mg/kg ATEmix (dermal) 1531 mg/kg ATEmix (inhalation-gas) No information available ATEmix (inhalation-dust/mist) No information available ATEmix (inhalation-vapor) No information available **12. ECOLOGICAL INFORMATION** Ecotoxicity Toxic to aquatic life with long lasting effects 79.7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment Persistence and degradability No information available.

**Bioaccumulation** No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## International Inventories

## On Inventory (Yes/No)

Yes Yes No Yes Yes Yes
Yes

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
CALCIUM CARBONATE 1317-65-3	Х	X	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date	01-Jun-20	015		
Revision Date	04-Nov-2	015		

Revision Note (M)SDS sections updated 3

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet