

Tetra® Power Supplies — 24 Volt



SKU	Description	SKUs	Rated Watts	Maximum Load
GEPS24D-80U UL/CUL, CE, PSE	0-10V Dimming Power Supply (24VDC/80W), Input Voltage: 90-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2	GEF12T12SGNHOLED, GEF12T12DHOLED, GEF12T12CWHOLED	5.8W/bar	12 ft.
		GEF18T12SGNHOLED, GEF18T12DHOLED, GEF18T12CWHOLED	7.2W/bar	12 ft.
		GEF24T12SGNHOLED, GEF24T12DHOLED, GEF24T12CWHOLED	11.5W/bar	12 ft.
GEPS24W-80 UL/CUL, CE, PSE	Power Supply (24VDC/80W), Input Voltage: 90-264VSC; Wet Location Rated; 1 Output Bank; Class 2	GEF30T12SGNHOLED, GEF30T12DHOLED, GEF30T12CWHOLED	14.4W/bar	12 ft.
		GEF36T12SGNHOLED, GEF36T12DHOLED, GEF36T12CWHOLED	17.3W/bar	12 ft.
		GEF42T12SGNHOLED, GEF42T12DHOLED, GEF42T12CWHOLED	20.2W/bar	12 ft.
GEPS24W-80M UL/CUL, CE, PSE	Power Supply (24VDC/80W), Input Voltage: 90-264VAC; Wet Location Rated; 1 Output Bank; Class 2	GEF48T12SGNHOLED, GEF48T12DHOLED, GEF48T12CWHOLED	23.0W/bar	12 ft.
		GEF60T12SGNHOLED, GEF60T12DHOLED, GEF60T12CWHOLED	28.8W/bar	12 ft.
		GEF64T12SGNHOLED, GEF64T12DHOLED, GEF64T12CWHOLED	30.2W/bar	12 ft.
		GEF72T12SGNHOLED, GEF72T12DHOLED, GEF72T12CWHOLED	34.6W/bar	12 ft.
		GEF84T12SGNHOLED, GEF84T12DHOLED, GEF84T12CWHOLED	40.3W/bar	12 ft.
		GEF96T12SGNHOLED, GEF96T12DHOLED, GEF96T12CWHOLED	46.1W/bar	12 ft.
		GEF12T12SGNHOLED, GEF12T12DHOLED, GEF12T12CWHOLED	5.8W/bar	16 ft.
		GEF18T12SGNHOLED, GEF18T12DHOLED, GEF18T12CWHOLED	7.2W/bar	16 ft.
		GEF24T12SGNHOLED, GEF24T12DHOLED, GEF24T12CWHOLED	11.5W/bar	16 ft.
GEPS24-100U-NA UL/CUL	Power Supply (24VDC / 96W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2	GEF30T12SGNHOLED, GEF30T12DHOLED, GEF30T12CWHOLED	14.4W/bar	16 ft.
		GEF36T12SGNHOLED, GEF36T12DHOLED, GEF36T12CWHOLED	17.3W/bar	16 ft.
		GEF42T12SGNHOLED, GEF42T12DHOLED, GEF42T12CWHOLED	20.2W/bar	16 ft.
GEPS24-100U-GL UL/CUL, CE, C-Tick, CEI IV	Power Supply (24VDC / 96W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2	GEF48T12SGNHOLED, GEF48T12DHOLED, GEF48T12CWHOLED	23.0W/bar	16 ft.
		GEF60T12SGNHOLED, GEF60T12DHOLED, GEF60T12CWHOLED	28.8W/bar	16 ft.
		GEF64T12SGNHOLED, GEF64T12DHOLED, GEF64T12CWHOLED	30.2W/bar	16 ft.
		GEF72T12SGNHOLED, GEF72T12DHOLED, GEF72T12CWHOLED	34.6W/bar	16 ft.
		GEF84T12SGNHOLED, GEF84T12DHOLED, GEF84T12CWHOLED	40.3W/bar	16 ft.
		GEF96T12SGNHOLED, GEF96T12DHOLED, GEF96T12CWHOLED	46.1W/bar	16 ft.
		GEF12T12SGNHOLED, GEF12T12DHOLED, GEF12T12CWHOLED	5.8W/bar	14 ft. per bank
		GEF18T12SGNHOLED, GEF18T12DHOLED, GEF18T12CWHOLED	7.2W/bar	14 ft. per bank
		GEF24T12SGNHOLED, GEF24T12DHOLED, GEF24T12CWHOLED	11.5W/bar	14 ft. per bank
GEPS24-180U UL/CUL, CE	Power Supply (24VDC/180W), Input Voltage: 90-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 2 Output Banks; Class 2	GEF30T12SGNHOLED, GEF30T12DHOLED, GEF30T12CWHOLED	14.4W/bar	14 ft. per bank
		GEF36T12SGNHOLED, GEF36T12DHOLED, GEF36T12CWHOLED	17.3W/bar	14 ft. per bank
		GEF42T12SGNHOLED, GEF42T12DHOLED, GEF42T12CWHOLED	20.2W/bar	14 ft. per bank
		GEF48T12SGNHOLED, GEF48T12DHOLED, GEF48T12CWHOLED	23.0W/bar	14 ft. per bank
		GEF60T12SGNHOLED, GEF60T12DHOLED, GEF60T12CWHOLED	28.8W/bar	14 ft. per bank
		GEF64T12SGNHOLED, GEF64T12DHOLED, GEF64T12CWHOLED	30.2W/bar	14 ft. per bank
		GEF72T12SGNHOLED, GEF72T12DHOLED, GEF72T12CWHOLED	34.6W/bar	14 ft. per bank
		GEF84T12SGNHOLED, GEF84T12DHOLED, GEF84T12CWHOLED	40.3W/bar	14 ft. per bank
		GEF96T12SGNHOLED, GEF96T12DHOLED, GEF96T12CWHOLED	46.1W/bar	14 ft. per bank



GE
Lighting

Tetra®
LED Lighting System

POWER SUPPLIES

2015



www.gelighting.com

GE and the GE Monogram are trademarks of the General Electric Company. All other trademarks are the property of their respective owners. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions. GE Lighting and GE Lighting Solutions, LLC are businesses of the General Electric Company. © 2015 GE.

SIGN084 (Rev 05/29/15)



imagination at work

Choose the power supply that is right for your job.

We rigorously test our designs, components, products and processes to Six Sigma standards to ensure that Tetra® Power Supplies perform for years. In fact, over the past three years we've sold more than 500,000 Power Supplies with a warranty return rate of less than one percent. Our complete line of 12 or 24 volt Tetra Power Supplies include options for jobs of any size.

12 Volt Systems	Key Feature	Products Usage
 GEPS12-25U-NA	Its' compact design is great for small jobs.	 Tetra® miniMAX
 GEPS12-60U-NA	Universal Voltage	 Tetra® MAX
 GEPS12-60U-GL	Global power supply Universal Voltage	
 GEPS12D-60U	Dimmable power supply 0-10V Control Universal Voltage	
 GEPS12W-60	Rated for wet locations.	 Tetra® miniStrip
 GEPS12-180U-NA	Large Lighting jobs Built in junction box Universal Voltage	 Tetra® PowerStrip
 GEPSJB-60 — Can be used for Tetra Power Supplies: GEPS12-60U-NA, GEPS12-60U-GL GEPS24-100U-GL, GEPS12D-60U, GEPS24D-80U, GEPS24-100U-NA		

This product is intended solely for the use of non-residential signage lighting and is not intended for use in any other applications.

24 Volt Systems	Key Feature	Products Usage
 GEPS24-25U-NA	Its' compact design is great for small jobs.	 Tetra® PowerStrip DS
 GEPS24-100U-NA	Universal Voltage	 Tetra® miniStrip DS
 GEPS24-100U-GL	Global power supply Universal Voltage	 Tetra® EdgeStrip
 GEPS24D-80U	Dimmable power supply 0-10V Control Universal Voltage	 Tetra® Contour LS
 GEPS24W-80	Rated for wet locations.	 Tetra® Contour
 GEPS24-180U	Can handle large lighting jobs with/ built-in junction box Universal Voltage	

Tetra® Power Supplies — 12 Volt

SKU	Description	Supports Tetra Products	SKUs	Rated Watts	Maximum Load	18 AWG	Remote Mounting Distance			
							16 AWG	14 AWG	12 AWG	
GEPS12-25U-NA Power Supply (12VDC/25W), Input Voltage: 108-305VAC; Damp Rated; UL/CUL, CE, C-Tick, PSE 	Tetra miniMAX		GEMM71-W1, GEMM50-W1, GEMM41-W1, GEMM32-W1	0.324W/module	65 modules/26 ft. (7.92 m)	30 ft./9.1 m	—	—	—	
			GEMMRD-1, GEMMBL-1	0.384W/module	55 modules/22 ft. (6.71 m)	30 ft./9.1 m	—	—	—	
			GEMMGL-1, GEMMPO-1	0.312W 0.480W/module	55 modules/22 ft. (6.71 m) 45 modules/18 ft. (5.49 m)	30 ft./9.1 m 30 ft./9.1 m	—	—	—	
			GEMS71-1, GEMS50-1, GEMS41-1, GEMS32-1, GEMSRD-1, GEMSBL-1	0.384W/module	55 modules/22 ft. (6.71 m)	120 ft./36.6 m	—	—	—	
	Tetra miniMAX MS		GEMSGL-1	0.312W/module	55 modules/22 ft. (6.71 m)	120 ft./36.6 m				
	Tetra MAX		GEMX71-W1, GEMX50-W1, GEMX41-W1, GEMX32-W1	0.456W/module	48 modules/24 ft. (7.32 m)	30 ft./9.1 m	—	—	—	
			GEMXRD-1, GEMXGL-1, GEMXBL-1	0.480W/module	45 modules/22.5 ft. (6.86 m)	30 ft./9.1 m	—	—	—	
			GEMXPO-1	0.360W/module	60 modules/30 ft. (9.14 m)	30 ft./9.1 m	—	—	—	
			GEMXRC-1	0.288W/module	74 modules/37 ft. (11.28 m)	30 ft./9.1 m	—	—	—	
			GEMXYG-1	0.540W/module	40 modules/20 ft. (6.10 m)	30 ft./9.1 m	—	—	—	
			GEMXH71-W1, GEMXH50-W1, GEMXH41-W1, GEMXH32-W1	0.720W/module	30 modules/15 ft. (4.57 m)	30 ft./9.1 m	—	—	—	
			GEMXHRD-1	0.408W/module	52 modules/26 ft. (7.92 m)	30 ft./9.1 m	—	—	—	
	Tetra PowerMAX		GEPM71-W1, GEPM50-W1, GEPM41-W1, GEPM32-W1	1.32W	16 modules/10.67 ft. (3.25 m)	30 ft./9.1 m	—	—	—	
	Tetra PowerStrip		GESS71-1, GESS50-1, GESS41-1, GESS32-1	2.4W/module	7 modules/7.4 ft. (2.26 m)	120 ft. (36.6 m)	—	—	—	
	Tetra miniStrip		GEWHBSP3, GEWWBSP3-50K, GEWWBSP3-41K, GEWWBSP3	1.10W/module	19 modules/19 ft. (5.79 m)	120 ft. (36.6 m)	—	—	—	
			GEBSH71-1, GEBSH50-1, GEBSH41-1, GEBSH32-1	1.49W/module	14 modules/14 ft. (4.27 m)	120 ft. (36.6 m)	—	—	—	
GEPS12-60U-NA Power Supply (12VDC/60W), Input Voltage: 108-305VAC; Damp Rated; UL/CUL GEPS12-60U-GL Power Supply (12VDC/60W), Input Voltage: 108-305VAC; Damp Rated; UL/CUL, CE, C-Tick, SELV GEPS12D-60U 0-10V Dimming Power Supply (12VDC/60W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2 GEPS12W-60 Power Supply (12VDC/60W), Input Voltage: 90-264VAC; Wet Location Rated; 1 Output Bank; Class 2 GEPS12W-60M Power Supply (12VDC/60W) with M20 Connector, Input Voltage: 90-264VAC; Wet Location Rated; 1 Output Bank; Class 2 	Tetra miniMAX		GEMM71-W1, GEMM50-W1, GEMM41-W1, GEMM32-W1	0.324W	170 modules/68 ft. (20.73 m)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMGL-1	0.312W/module	150 modules/60 ft. (18.29 m)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMBL-1, GEMMRD-1	0.384W/module	150 modules/60 ft. (18.29 m)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMPO-1	0.480W/module	120 modules/48 ft. (14.63 m)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMS71-1, GEMS50-1, GEMS41-1, GEMS32-1, GEMSRD-1, GEMSBL-1	0.384W/module	150 modules/60 ft. (18.29 m)	30 ft./9.1 m	50 ft./15.2 m	80 ft./24.4 m	120 ft./36.6 m	
			GEMSGL-1	0.312W/module	150 modules/60 ft. (18.29 m)	30 ft./9.1 m	50 ft./15.2 m	80 ft./24.4 m	120 ft./36.6 m	
	Tetra MAX		GEMX71-W1, GEMX50-W1, GEMX41-W1, GEMX32-W1	0.456W/module	128 modules/64 ft. (19.51 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXBL-1, GEMXRD-1, GEMXGL-1	0.480W/module	120 modules/60 ft. (18.29 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXPO-1	0.360W/module	160 modules/80 ft. (24.38 m.)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXRC-1	0.288W/module	200 modules/100 ft. (30.48 m.)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXYG-1	0.540W/module	106 modules/53 ft. (16.15 m.)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXH71-W1, GEMXH50-W1, GEMXH41-W1, GEMXH32-W1	0.720W/module	80 modules/40 ft. (12.20 m.)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXHRD-1	0.408W/module	142 modules/71 ft. (21.64 m.)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
	Tetra PowerMAX		GEPM71-W1, GEPM50-W1, GEPM41-W1, GEPM32-W1	1.32W/module	42 modules/28 ft. (8.53 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
	Tetra PowerStrip		GESS71-1, GESS50-1, GESS41-1, GESS32-1	2.4W/module	20 modules/20.0 ft. (6.01 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
			GESSH71-1, GESSH50-1, GESSH41-1, GESSH32-1	3.63W/module	16 modules/17.0 ft. (5.18 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
	Tetra MiniStrip		GEWHBSP3, GEWWBSP3-50K, GEWWBSP3-41K, GEWWBSP3	1.10W/module	53 modules/53 ft. (16.16 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
			GEBSH71-1, GEBSH50-1, GEBSH41-1, GEBSH32-1	1.49W/module	38 modules/38 ft. (11.58 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
GEPS12-180U-NA Power Supply (12VDC/180W), Input Voltage: 90-305VAC; Damp Rated; UL/CUL, CE, C-Tick 	Tetra miniMAX		GEMM71-W1, GEMM50-W1, GEMM41-W1, GEMM32-W1	0.324W/module	170 modules/68 ft. (20.73 m) per bank; (510 modules/204 ft. (62.18 m.) per PS)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMBL-1, GEMMRD-1	0.384W/module	150 modules/60 ft. (18.29 m) per bank; (450 modules/180 ft. (54.88 m.) per PS)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMGL-1	0.312W/module	150 modules/60 ft. (18.29 m) per bank; (450 modules/180 ft. (54.88 m.) per PS)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMMPO-1	0.480W/module	120 modules/48 ft. (14.63 m) per bank; (360 modules/144 ft. (43.89 m.) per PS)	15 ft./4.6 m	23 ft./7.0 m	38 ft./11.6 m	65 ft./19.8 m	
			GEMS71-1, GEMS50-1, GEMS41-1, GEMS32-1, GEMSRD-1, GEMSBL-1	0.384W/module	150 modules/60 ft. (18.29 m) per bank; (450 modules/180 ft. (54.88 m.) per PS)	30 ft./9.1 m	50 ft./15.2 m	80 ft./24.4 m	120 ft./36.6 m	
			GEMSGL-1	0.312W/module	150 modules/60 ft. (18.29 m) per bank; (450 modules/180 ft. (54.88 m.) per PS)	30 ft./9.1 m	50 ft./15.2 m	80 ft./24.4 m	120 ft./36.6 m	
	Tetra MAX		GEMX71-W1, GEMX50-W1, GEMX41-W1, GEMX32-W1	0.456W/module	128 modules/64 ft. (19.51 m) per bank; (384 modules/192 ft. (58.52 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXRD-1, GEMXGL-1, GEMXBL-1	0.480W/module	120 modules/60 ft. (18.29 m) per bank; (360 modules/180 ft. (54.88 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXPO-1	0.360W/module	160 modules/80 ft. (24.38 m.) per bank; (480 modules/240 ft. (73.15 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXRC-1	0.288W/module	200 modules/100 ft. (30.48 m.) per bank; (600 modules/300 ft. (91.44 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXYG-1	0.540W/module	106 modules/53 ft. (16.15 m.) per bank; (318 modules/159 ft. (48.46 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXH71-W1, GEMXH50-W1, GEMXH41-W1, GEMXH32-W1	0.720W/module	80 modules/40 ft. (12.20 m.) per bank; (240 modules/120 ft. (36.59 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
			GEMXHRD-1	0.408W/module	142 modules/71 ft. (21.64 m.) per bank; (426 modules/213 ft. (64.92 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
	Tetra PowerMAX		GEPM71-W1, GEPM50-W1, GEPM41-W1, GEPM32-W1	1.32W/module	42 modules/28 ft. (8.53 m) per bank; (126 modules/84 ft. (25.60 m.) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.2 m	
	Tetra PowerStrip		GESS71-1, GESS50-1, GESS41-1, GESS32-1	2.4W/module	20 modules/20.0 ft. (6.01 m) per bank; (60 modules/60.0 ft. (18.29 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
			GESSH71-1, GESSH50-1, GESSH41-1, GESSH32-1	3.63W/module	16 modules/16.0 ft. (4.88 m) per bank; (48 modules/51.0 ft. (15.60 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
	Tetra MiniStrip		GEWHBSP3, GEWWBSP3-50K, GEWWBSP3-41K, GEWWBSP3	1.10W/module	53 modules/53 ft. (16.16 m) per bank; (159 modules/159 ft. (48.48 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	
			GEBSH71-1, GEBSH50-1, GEBSH41-1, GEBSH32-1	1.49W/module	38 modules/38 ft. (11.58 m) per bank; (114 modules/114 ft. (34.75 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m	

Tetra® Power Supplies — 24 Volt

SKU	Description	Supports Tetra Products	SKUs	Rated Watts	Maximum Load	18 AWG	Remote Mounting Distance 16 AWG	14 AWG	12 AWG
GEPS24-25-NA UL/CUL, CE, C-Tick, PSE 	Power Supply (24VDC/25W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2	Tetra PowerStrip SS	GESS24H71-1, GESS24H50-1, GESS24H41-1, GESS24H32-1	2.9W/module	6 modules/6.5ft (1.98m)	120ft(36.6m)	-	-	-
		Tetra PowerStrip DS	GEDS71-1, GEDS50-1, GEDS41-1, GEDS32-1	4.8W/module	3 modules/4.1 ft. (1.26 m)	120ft(36.6m)	-	-	-
			GEDSH71-2, GEDSH50-2, GEDSH41-2, GEDSH32-2	5.80W/module	3 modules/4.1 ft. (1.26 m)	120ft(36.6m)	-	-	-
		Tetra miniStrip DS	GEWHBDP6, GEWWBDP6-50K, GEWWBDP6-41K, GEWWBDP6	2.20W/module	9 modules/9 ft. (2.74 m)	120ft(36.6m)	-	-	-
			GEBDH71-1, GEBDH50-1, GEBDH41-1, GEBDH32-1	2.98W/module	7 modules/7 ft. (2.13 m)	120ft(36.6m)	-	-	-
		Tetra EdgeStrip	GEBI71-2, GEBI50-2, GEBI41-2, GEBI32-2	2.52W/module	9 modules/9 ft. (2.74 m)	120ft(36.6m)	-	-	-
			GEBIH71-2 GEBIH50-2, GEBIH41-2, GEBIH32-2	5.40W/module	4 modules/4 ft. (1.22 m)	120ft(36.6m)	-	-	-
		Tetra Contour LS	GEXNLRD-1	1.30W/ft. (strip)	16 ft. (4.88 m)	20 ft./6.1 m	-	-	-
			GEXNLBL-1, GEXNLGL-1	1.73W/ft. (strip)	12 ft. (3.66 m)	20 ft./6.1 m	-	-	-
			GEXNL65-1, GEXNL32-1	3.17W/ft. (strip)	6 ft. (1.83 m)	20 ft./6.1 m	-	-	-
		Tetra Contour	GEXNBL-1, GEXNGL-1, GEXNRD-1	1.52W/ft. (Strip)	14 ft. (4.27 m)	20 ft./6.1 m	-	-	-
			GEXNYG-1, GEXNRC-1	2.27W/ft. (Strip)	8 ft. (2.44 m)	20 ft./6.1 m	-	-	-
GEXN65-1, GEXN32-1	3.17W/ft. (Strip)		6 ft. (1.83 m)	20 ft./6.1 m	-	-	-		
GEPS24D-80U UL/CUL, CE, PSE GEPS24W-80 UL/CUL, CE, PSE GEPS24W-80M UL/CUL, CE, PSE 	0-10V Dimming Power Supply (24VDC/80W), Input Voltage: 90-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2 Power Supply (24VDC/80W), Input Voltage: 90-264VSC; Wet Location Rated; 1 Output Bank; Class 2 Power Supply (24VDC/80W), Input Voltage: 90-264VAC; Wet Location Rated; 1 Output Bank; Class 2	Tetra PowerStrip SS	GESS24H71-1, GESS24H50-1, GESS24H41-1, GESS24H32-1	2.9W/module	22 modules/23.8 ft. (7.25 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra PowerStrip DS	GEDS71-1, GEDS50-1, GEDS41-1, GEDS32-1	4.8W/module	14 modules/14 ft. (4.27 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEDSH71-2, GEDSH50-2, GEDSH41-2, GEDSH32-2	5.80W/module	12 modules/16.5 ft. (5.03 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra miniStrip DS	GEWHBDP6, GEWWBDP6-50K, GEWWBDP6-41K, GEWWBDP6	2.20W/module	31 modules/31 ft. (9.45 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBDH71-1, GEBDH50-1, GEBDH41-1, GEBDH32-1	2.98W/module	24 modules/24 ft. (7.32 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra EdgeStrip	GEBI71-2, GEBI50-2, GEBI41-2, GEBI32-2	2.52W/module	30 modules/30 ft. (9.15 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBIH71-2 GEBIH50-2, GEBIH41-2, GEBIH32-2	5.40W/module	14 modules/14 ft. (4.27 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra Contour LS	GEXNLRD-1	1.30W/ft. (strip)	58 ft. (17.68 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNLBL-1, GEXNLGL-1	1.73W/ft. (strip)	44 ft. (13.41 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNL65-1, GEXNL32-1	3.17W/ft. (strip)	24 ft. (7.3 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
		Tetra Contour	GEXNBL-1, GEXNGL-1, GEXNRD-1	1.52W/ft. (Strip)	50 ft. (15.24 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNYG-1, GEXNRC-1	2.27W/ft. (Strip)	33 ft. (10.06 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
GEXN65-1, GEXN32-1	3.17W/ft. (Strip)		24 ft. (7.3 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m		
GEPS24-100U-NA UL/CUL GEPS24-100U-GL UL/CUL, CE, C-Tick, SELV 	Power Supply (24VDC / 96W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2 Power Supply (24VDC / 96W), Input Voltage: 108-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 1 Output Bank; Class 2	Tetra PowerStrip SS	GESS24H71-1, GESS24H50-1, GESS24H41-1, GESS24H32-1	2.9W/module	30 modules/32.5 ft. (9.9 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra PowerStrip DS	GEDS71-1, GEDS50-1, GEDS41-1, GEDS32-1	4.8W/module	16 modules/14 ft. (4.27 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEDSH71-2, GEDSH50-2, GEDSH41-2, GEDSH32-2	5.80W/module	16 modules/23.2 ft. (7.07m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra miniStrip DS	GEWHBDP6, GEWWBDP6-50K, GEWWBDP6-41K, GEWWBDP6	2.20W/module	39 modules/39 ft. (11.89 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBDH71-1, GEBDH50-1, GEBDH41-1, GEBDH32-1	2.98W/module	30 modules/30 ft. (9.14 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra EdgeStrip	GEBI71-2, GEBI50-2, GEBI41-2, GEBI32-2	2.52W/module	36 modules/36 ft. (10.98 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBIH71-2, GEBIH50-2, GEBIH41-2 GEBIH32-2	5.40W/module	17 modules/17 ft. (5.18 m)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra Contour LS	GEXNLRD-1	1.30W/ft. (strip)	69 ft. (21m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNLBL-1, GEXNLGL-1	1.73W/ft. (strip)	52 ft. (15.85m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNL65-1, GEXNL32-1	3.17W/ft. (strip)	29 ft. (8.8m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
		Tetra Contour	GEXNBL-1, GEXNGL-1, GEXNRD-1	1.52W/ft. (Strip)	59 ft. (17.9 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNYG-1, GEXNRC-1	2.27W/ft. (Strip)	40 ft. (12.19 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
GEXN65-1, GEXN32-1	3.17W/ft. (Strip)		29 ft. (8.8 m)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m		
GEPS24-180U UL/CUL, CE 	Power Supply (24VDC/180W), Input Voltage: 90-305VAC; Damp Rated; Self-Contained, Remote or Raceway; 2 Output Banks; Class 2	Tetra PowerStrip SS	GESS24H71-1, GESS24H50-1, GESS24H41-1, GESS24H32-1	2.9W/module	26 modules/28.1 ft. (8.56 m) per bank; (52 modules/56.3 ft. (17.2 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra PowerStrip DS	GEDS71-1, GEDS50-1, GEDS41-1, GEDS32-1	4.8W/module	14 modules/19.3 ft. (5.86 m) per bank; (28 modules/38.5 ft. (11.73 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEDSH71-2, GEDSH50-2, GEDSH41-2, GEDSH32-2	5.80W/module	14 modules/20.3 ft. (6.19 m) per bank; (28 modules/40.6 ft. (12.38 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra miniStrip DS	GEWHBDP6, GEWWBDP6-50K, GEWWBDP6-41K, GEWWBDP6	2.20W/module	35 modules/35 ft. (10.67 m) per bank; (70 modules/70 ft. (21.34 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBDH71-1, GEBDH50-1, GEBDH41-1, GEBDH32-1	2.98W/module	27 modules/27 ft. (8.23 m) per bank; (54 modules/54 ft. (16.46 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra EdgeStrip	GEBI71-2, GEBI50-2, GEBI41-2, GEBI32-2	2.52W/module	33 modules/33 ft. (10.06 m) per bank; (66 modules/66 ft. (20.12 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
			GEBIH71-2 GEBIH50-2, GEBIH41-2, GEBIH32-2	5.40W/module	16 modules/16 ft. (4.88 m) per bank; (32 modules/32 ft. (9.75 m) per PS)	20 ft./6.1 m	25 ft./7.6 m	35 ft./10.6 m	40 ft./12.1 m
		Tetra Contour LS	GEXNLRD-1	1.30W/ft. (strip)	65 ft. (19.81 m) per output channel; (130 ft. (39.62 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNLBL-1, GEXNLGL-1	1.73W/ft. (strip)	48 ft. (14.63 m) per output channel; (96 ft. (29.26 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNL65-1, GEXNL32-1	3.17W/ft. (strip)	27 ft. (8.2 m) per output channel; (54 ft. (16.4 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
		Tetra Contour	GEXNBL-1, GEXNGL-1, GEXNRD-1	1.52W/ft. (Strip)	55 ft. (16.76 m) per output channel; (110 ft. (33.53 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
			GEXNYG-1, GEXNRC-1	2.27W/ft. (Strip)	37 ft. (11.28 m) per output channel; (74 ft. (22.55 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m
GEXN65-1, GEXN32-1	3.17W/ft. (Strip)		27 ft. (8.2 m) per output channel; (54 ft. (16.4 m) per PS)	20 ft./6.1 m	30 ft./9.1 m	50 ft./15.2 m	86 ft./26.1 m		