

# SloanLED Global Limited Warranty

PAGE 1 OF 6

## Terms and Conditions

SloanLED is committed to providing defect free products that will perform trouble-free. All SloanLED facilities are ISO 9001 registered and maintain strict quality assurance standards. Within the terms of this Limited Warranty, all SloanLED products are warranted to meet the performance criteria outlined in the written specification/data sheets and be free of defects in material and workmanship. This Limited Warranty only applies to the original owner at the time of the initial installation of the product and is non-transferable. This Limited Warranty is in effect for the Warranty Period of each product listed on the attached schedule.

The Warranty Period is based on the manufacturing date code of the product and begins on the date of the manufacturing date code.

The determination of whether a product is defective shall be made by SloanLED in its reasonable discretion with consideration given to the overall performance of the product. If a Product has been deemed defective in its materials or workmanship, SloanLED will repair or replace (at SloanLED's sole discretion) the defective product at no charge, excluding labor. SloanLED reserves the right to use similar, new, reconditioned, refurbished, repaired or remanufactured product or parts in the limited warranty solution process. This shall be the customer's sole remedy with respect to any SloanLED products. The aggregate remedy for any claim shall not exceed the total amount of the purchase price for the defective product. Under no circumstances will SloanLED be required to give a refund. The cost of labor or administration is not included under this Limited Warranty.

This Limited Warranty only applies to reasonable indoor and outdoor usage of the product in commercial applications, when properly installed by a licensed electrician in accordance with the instructions from SloanLED. Any defect in a product arising out of the product's unreasonable use shall not be covered by this Limited Warranty. For example, operating conditions of/for the product must not exceed temperatures or other exposures outside the range of the product's rated limits set by SloanLED. This Limited Warranty does not cover damage or failure caused in part by improper installation, use, operation, storage, maintenance, acts of God, extreme weather, lightning strikes, power surges, induced vibration, civil unrest, vandalism, general wear or aging, mechanical and power connections, or any circumstances that are not applicable to the reasonable use of the product. General wear or aging is not considered a product defect if it does not result in inoperable conditions. A product shall not be considered defective solely as a result of the failure of individual LED components contained in the product to emit light if the number of inoperable components is less than fifteen (15%) of the total number of LED components in the product. This Limited Warranty is automatically voided by the use of non-approved third party controls, power supplies or any other manufacturer's components, or if the product is used outside of its intended applications or for the stated purpose or conditions for which it is designed, as stated in SloanLED's written data sheets and installation instructions.

For replacement/repair service of an alleged defective product under this Limited Warranty, the original owner at the time of the initial installation of the product must contact SloanLED for a Return Material Authorization (RMA) number and provide SloanLED with the original contractual documents for the purchase of the product. RMA numbers may be obtained by calling customer service at (888) 747-4533 in North America, +1 (805) 676-3200 Worldwide or +31 88 12 44 900 in Europe. Information and troubleshooting assistance is also available at these numbers.

Once an RMA number is obtained, the alleged defective product shall be returned (at the customer's expense) directly to SloanLED or the location designated by SloanLED at the time the RMA is issued. The product must be returned within thirty (30) days of RMA issuance for the RMA to remain valid. All shipping boxes and packing slips must be marked with the valid RMA number.

If a solution for the alleged defective product is required immediately, the customer may order (at their own expense) the replacement product required to solve the immediate issue from SloanLED. If the customer purchases an immediate replacement of a product from SloanLED that is found to be defective and covered by this Limited Warranty, SloanLED will issue a credit for the replacement product and standard shipping. If the product that is returned with the RMA is found to be a defective product and covered by this Limited Warranty, SloanLED will provide the remedy outlined in this Limited Warranty and any replacement product will be provided with standard shipping (free of charge). If the product that is returned with the RMA is not found to be defective product by SloanLED, SloanLED will return the product to the customer at the customer's expense.

SLOANLED MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), OTHER THAN AS SET FORTH IN THIS LIMITED WARRANTY. THIS LIMITED LIABILITY DOES NOT COVER, AND UNDER NO CIRCUMSTANCE SHALL SLOANLED BE LIABLE FOR, ANY INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE WHATSOEVER ARISING OUT OF OR IN ANY WAY RELATED TO ANY DEFECT IN OR NON-PERFORMANCE OR IMPROPER PERFORMANCE OF THE PRODUCTS. IF ANY TERM OR PROVISION OF THIS LIMITED WARRANTY IS INVALID, ILLEGAL, OR UNENFORCEABLE IN ANY JURISDICTION, SUCH INVALIDITY, ILLEGALITY, OR UNENFORCEABILITY WILL NOT AFFECT ANY OTHER TERM OR PROVISION OF THIS LIMITED WARRANTY OR INVALIDATE OR RENDER UNENFORCEABLE SUCH TERM OR PROVISION IN ANY OTHER JURISDICTION.

# SloanLED Global Limited Warranty Period Schedule

PAGE 2 OF 6

## Lighting Systems

### Outdoor Area Lighting

#### PDL3 MODUS

Product Description	Part No.	Duration
PDL3 MODUS, Clear	701948-5WCWT3-M	120 Months
PDL3 MODUS, Textured	701948-5WTWT3-M	120 Months
PDL3 MODUS HO, Clear, White	701948-5WCWT3-MH	120 Months
PDL3 MODUS HO, Textured, White	701948-5WTWT3-MH	120 Months
PDL3 MODUS HO, Clear, Bronze	701948-5WCBZ3-MH	120 Months
PDL3 MODUS HO, Textured, Bronze	701948-5WTBZ3-MH	120 Months
75 W EU/ROW Canopy PS Kit	MOD1.1 / 601071	120 Months
150 W EU/ROW Canopy PS Kit	MOD1.2 / 601072	120 Months
200 W EU/ROW Canopy PS Kit	MOD1.3 / 601073	120 Months
75 W NA Canopy PS Kit	MOD2.1 / 601074	120 Months
150 W NA Canopy PS Kit	MOD2.2 / 601075	120 Months
200 W NA Canopy PS Kit	MOD2.3 / 601076	120 Months
75 W NA Walk-in Cooler PS Kit	MOD3.1 / 601077	120 Months
150 W NA Walk-in Cooler PS Kit	MOD3.2 / 601078	120 Months
200 W NA Walk-in Cooler PS Kit	MOD3.3 / 601079	120 Months
75 W NA Surface Mount PS Kit	MOD4.1 / 601080	120 Months
150 W NA Surface Mount PS Kit	MOD4.2 / 601081	120 Months
200 W NA Surface Mount PS Kit	MOD4.3 / 601082	120 Months
75 W EU/ROW Surface Mount PS Kit	MOD4.4 / 601088	120 Months
150 W EU/ROW Surface Mount PS Kit	MOD4.5 / 601089	120 Months
200 W EU/ROW Surface Mount PS Kit	MOD4.6 / 601090	120 Months
75 W NA Retrofit PS Kit	MOD5.1 / 601083	120 Months
150 W NA Retrofit PS Kit	MOD5.2 / 601084	120 Months
200 W NA Retrofit PS Kit	MOD5.3 / 601085	120 Months
75 W Dimming Controller	601092	60 Months
150 W Dimming Controller	601093	60 Months
200 W Dimming Controller	601094	60 Months

#### Progressive Down Light

Product Description	Part No.	Duration
Progressive Down Light	701948	60 Months
Progressive Down Light 2	701948-5WSWT2	60 Months
Progressive Down Light 3	701948-5WCWT3	60 Months
Progressive Down Light 3	701948-5WTWT3	60 Months
150 W, Power Supply	701932	60 Months
140 W, Power Supply	701950	60 Months
100 W, Power Supply	701950-100X1	60 Months
115 W, Power Supply	701950-115X1	60 Months
125 W, Power Supply	701950-125X1	60 Months
100 W, Power Supply	701950-100Y1	60 Months
75 W, Power Supply	701950-075Y1	60 Months
Junction Box	701952	60 Months
Mounting Box	601022	60 Months
Blank Plate	401219	60 Months
Shoebox Plate	401397	60 Months
Dimming Controller	701958	60 Months
Dimming Controller	701969	60 Months
Occupancy Sensor	701953	60 Months

#### Progressive Pole Mount Light

Product Description	Part No.	Duration
Pole Mount Light, White, 140 W	701955-5WXWT1	60 Months
Pole Mount Light, White, 115 W	701955-5WXWT2	60 Months
Pole Mount Light, Black, 140 W	701955-5WXBK1	60 Months
Pole Mount Light, Black, 115 W	701955-5WXBK2	60 Months
Pole Mount Light, Bronze, 140 W	701955-5WXHR1	60 Months
Pole Mount Light, Bronze, 115 W	701955-5WXHR2	60 Months
140 W, Power Supply	701932	60 Months
140 W, Power Supply	701950-36	60 Months
115 W, Power Supply	701950-115X2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months
Adapter, Round Pole	401189	60 Months

#### Pole Mount Light 2A

Product Description	Part No.	Duration
Pole Mount Light 2A	701955-5WXAX2	60 Months
Pole Mount Light 2A, Motion Sensor	701955-5WXAM2	60 Months
Pole Mount Light 2A, Motion Sensor, Photocell Socket	701955-5WXAB2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months
Photocell Socket	401763	60 Months

#### Pole Mount Light 2B

Product Description	Part No.	Duration
Pole Mount Light 2B, Silver, 60 W	701955-5WSBX2	60 Months
Square Pole Tenon Kit	601102	60 Months
Round Pole Tenon Kit	601017	60 Months

#### Progressive Wall Light

Product Description	Part No.	Duration
Progressive Wall Light	701959-5WXHR1	60 Months

#### HighLINER 2

Product Description	Part No.	Duration
HighLINER, 5000K, 4' (1.2 m)	701912	60 Months
HighLINER, 6500K, 4' (1.2 m)	701912-65	60 Months
HighLINER 2, 5000K, 4' (1.2 m)	701912-C1I75	60 Months
HighLINER 2, 5000K, 1' (0.3 m)	701912-L1C1I75	60 Months
HighLINER 2, 3500K, 4' (1.2 m)	701912-35C2I75	60 Months
HighLINER 2, 3500K, 1' (0.3 m)	701912-L135C2I75	60 Months
100 W, 24 VDC Power Supply	701895-24C	60 Months
Clip 400686	60 Months	
Wire Cover	400860	60 Months

### Indoor Commercial Lighting

#### LED Backlit Panel

Product Description	Part No.	Duration
LED Backlit Panel, 2'x2'	701975-4WN221	60 Months

#### RD Series: LED Recessed Downlights

Product Description	Part No.	Duration
RDA Recessed Downlight, Adjustable	701977-4ACCW1	60 Months
RDL Recessed Downlight, Large	701977-4LDTW1	60 Months
RDS Recessed Downlight, Small	701977-4SDTW1	60 Months

# SloanLED Global Limited Warranty Period Schedule

PAGE 3 OF 6

## Lighting Systems

### Refrigerated Display Lighting

#### Cold Door

Product Description	Part No.	Duration
Cold Door Center, 3500 K, 5' (1.50 m)	701906-2-WW-60	60 Months
Cold Door Center, 3500 K, 6' (1.68 m)	701906-2-WW-66	60 Months
Cold Door Center, 4100 K, 5' (1.50 m)	701906-2-NW-60	60 Months
Cold Door Center, 4100 K, 6' (1.68 m)	701906-2-NW-66	60 Months
Cold Door Center, 4100 K, 7' (1.90 m)	701906-2-NW-75	60 Months
Cold Door Center, 5000 K, 5' (1.50 m)	701906-2-CW-60	60 Months
Cold Door Center, 5000 K, 6' (1.68 m)	701906-2-CW-66	60 Months
Cold Door End, 3500 K, 5' (1.50 m)	701906-2-END-WW-60	60 Months
Cold Door End, 3500 K, 6' (1.68 m)	701906-2-END-WW-66	60 Months
Cold Door End, 4100 K, 5' (1.50 m)	701906-2-END-NW-60	60 Months
Cold Door End, 4100 K, 6' (1.68 m)	701906-2-END-NW-66	60 Months
Cold Door End, 4100 K, 7' (1.90 m)	701906-2-END-NW-75	60 Months
Cold Door End, 5000 K, 5' (1.50 m)	701906-2-END-CW-60	60 Months
Cold Door End, 5000 K, 6' (1.68 m)	701906-2-END-CW-66	60 Months
Cold Door 2 Center, 3500 K, 4' (1.2 m)	701906-3WC4X2	60 Months
Cold Door 2 Center, 3500 K, 5' (1.5 m)	701906-3WC5X2	60 Months
Cold Door 2 Center, 3500 K, 6' (1.8 m)	701906-3WC6X2	60 Months
Cold Door 2 Center, 4000 K, 4' (1.2 m)	701906-4WC4X2	60 Months
Cold Door 2 Center, 4000 K, 5' (1.5 m)	701906-4WC5X2	60 Months
Cold Door 2 Center, 4000 K, 6' (1.8 m)	701906-4WC6X2	60 Months
Cold Door 2 Center, 4000 K, 7' (1.9 m)	701906-4WC7X2	60 Months
Cold Door 2 Center, 5000 K, 4' (1.2 m)	701906-5WC4X2	60 Months
Cold Door 2 Center, 5000 K, 5' (1.5 m)	701906-5WC5X2	60 Months
Cold Door 2 Center, 5000 K, 6' (1.8 m)	701906-5WC6X2	60 Months
Cold Door 2 End, 3500 K, 4' (1.2 m)	701906-3WE4X2	60 Months
Cold Door 2 End, 3500 K, 5' (1.5 m)	701906-3WE5X2	60 Months
Cold Door 2 End, 3500 K, 6' (1.8 m)	701906-3WE6X2	60 Months
Cold Door 2 End, 4000 K, 4' (1.2 m)	701906-4WE4X2	60 Months
Cold Door 2 End, 4000 K, 5' (1.5 m)	701906-4WE5X2	60 Months
Cold Door 2 End, 4000 K, 6' (1.8 m)	701906-4WE6X2	60 Months
Cold Door 2 End, 4000 K, 7' (1.9 m)	701906-4WE7X2	60 Months
Cold Door 2 End, 5000 K, 4' (1.2 m)	701906-5WE4X2	60 Months
Cold Door 2 End, 5000 K, 5' (1.5 m)	701906-5WE5X2	60 Months
Cold Door 2 End, 5000 K, 6' (1.8 m)	701906-5WE6X2	60 Months
100 W, 24 VDC Power Supply	701895-24W	60 Months
100 W, 24 VDC Power Supply	701933	60 Months
100 W, 24 VDC Power Supply	401402	60 Months
Power Controller	701929	60 Months
Clip, Center	400686	60 Months
Clip, End	400686-END	60 Months
Wire Cover, Center	400776	60 Months
Wire Cover, End	400776-END	60 Months
Universal Voltage Power Pack	401352	60 Months
Connector Cable, RJ45, 20' (61 m)	401353	60 Months

#### Cold Deck

Product Description	Part No.	Duration
Cold Deck Canopy, 2700 K, 3' (900 mm)	701940-2WC3X1	60 Months
Cold Deck Canopy, 2700 K, 4' (1200 mm)	701940-2WC4X1	60 Months
Cold Deck Canopy, 3500 K, 3' (900 mm)	701940-3WC3X1	60 Months
Cold Deck Canopy, 3500 K, 4' (1200 mm)	701940-3WC4X1	60 Months
Cold Deck Canopy, 4000 K, 3' (900 mm)	701940-4WC3X1	60 Months
Cold Deck Canopy, 4000 K, 4' (1200 mm)	701940-4WC4X1	60 Months
Cold Deck Shelf, 2700 K, 3' (900 mm)	701940-2WS3X1	60 Months
Cold Deck Shelf, 2700 K, 4' (1200 mm)	701940-2WS4X1	60 Months
Cold Deck Shelf, 3500 K, 3' (900 mm)	701940-3WS3X1	60 Months
Cold Deck Shelf, 3500 K, 4' (1200 mm)	701940-3WS4X1	60 Months
Cold Deck Shelf, 4000 K, 3' (900 mm)	701940-4WS3X1	60 Months
Cold Deck Shelf, 4000 K, 4' (1200 mm)	701940-4WS4X1	60 Months
100 W, 24 VDC Power Supply	701895-24C	60 Months
Stand-off Clip	401091	60 Months
Terminal Block, Small	401350	60 Months
Terminal Block, Large	401351	60 Months

#### Dimming

Product Description	Part No.	Duration
Dimming Controller	701890-PWR	60 Months
Motion Sensor	400661	60 Months
Motion Sensor (Wide Angle)	400964	60 Months
Motion Sensor/High Voltage	401314	60 Months
Lens for 401314	401315	60 Months

# SloanLED Global Limited Warranty Period Schedule

PAGE 4 OF 6

## Sign and Architectural Lighting

### Channel Letter

#### Apollo

Product Description	Part No.	Duration
Apollo	701269-W6-MB	60 Months

#### BendLUX

Product Description	Part No.	Duration
BendLUX	701960-6WS241	60 Months

#### ChanneLED 5

Product Description	Part No.	Duration
ChanneLED 5 Red	701269-R5-MB	60 Months

#### Great White 4

Product Description	Part No.	Duration
Great White 4	701269-WL4-MB	60 Months

#### SloanLED Prism

Product Description	Part No.	Duration
SloanLED Prism (7100 K)	701269-7WSJ1-MB	60 Months
SloanLED Prism (6500 K), 1.5/ft (4.9/m)	701269-6WSJ1-MB	60 Months
SloanLED Prism (6500 K), 1/ft (3.3/m)	701269-6WSJ2-MB	60 Months
SloanLED Prism (5000 K)	701269-5WSJ1-MB	60 Months
SloanLED Prism (4000 K)	701269-4WSJ1-MB	60 Months
SloanLED Prism (3000 K)	701269-3WSJ1-MB	60 Months
SloanLED Prism Red, 2/ft (6.6/m)	701269-RDSJ3-MB	60 Months
SloanLED Prism Red, 1.5/ft (4.9/m)	701269-RDSJ1-MB	60 Months
SloanLED Prism Orange	701269-ORSJ1-MB	60 Months
SloanLED Prism Green	701269-GRSJ1-MB	60 Months
SloanLED Prism Blue	701269-BLSJ1-MB	60 Months
SloanLED Prism Mini (6500 K)	701269-6WMJ1-MB	60 Months

#### SloanLED SE

Product Description	Part No.	Duration
SloanLED SE (6500 K)	701269-6WSK1-MB	60 Months

#### V180

Product Description	Part No.	Duration
V180 Large (6500 K)	701269-6WLG1-MB	60 Months
V180 Large (6500 K)	701269-6WLG2-MB	60 Months
V180 Large (5000 K)	701269-5WLG1-MB	60 Months
V180 Large (5000 K)	701269-5WLG2-MB	60 Months
V180 Standard (7200 K)	701269-7WSG1-MB	60 Months
V180 Standard (6500 K)	701269-6WSG1-MB	60 Months
V180 Standard (5000 K)	701269-5WSG1-MB	60 Months
V180 Standard (4000 K)	701269-4WSG1-MB	60 Months
V180 Standard (3000 K)	701269-3WSG1-MB	60 Months
V180 Mini (6500 K)	701269-WLP2-MB	60 Months
V180 HB Mini (6500 K)	701269-6WMG2-MB	60 Months

#### VL Plus Whites

Product Description	Part No.	Duration
VL Plus 2 White Long (6500 K)	701269-6WLA2-MB	60 Months
VL Plus 2 White Short (7200 K)	701269-7WSA2-MB	60 Months
VL Plus 2 White Short (6500 K)	701269-6WSA2-MB	60 Months
VL Plus 2 White Short (5000 K)	701269-5WSA2-MB	60 Months
VL Plus 2 White Short (4000 K)	701269-4WSA2-MB	60 Months
VL Plus 2 White Short (3000 K)	701269-3WSA2-MB	60 Months
VL Plus 2 White Mini (6500 K)	701269-6WMA2-MB	60 Months
VL Plus White Long (6500 K)	701269-WVLL-MB	60 Months
VL Plus White Short (7200 K)	701269-7WSA1-MB	60 Months
VL Plus White Short (6500 K)	701269-WVLS-MB	60 Months
VL Plus White Short (5000 K)	701269-5WSA1-MB	60 Months
VL Plus White Short (4000 K)	701269-4WSA1-MB	60 Months
VL Plus White Short (3000 K)	701269-3WSA1-MB	60 Months
VL Plus 2 White HB Short (6500 K)	701269-6WHA1-MB	60 Months
VL Plus White Mini (6500 K)	701269-WVLM-MB	60 Months

#### VL Plus Colors

Product Description	Part No.	Duration
VL Plus Red Long	701269-RVLL-MB	60 Months
VL Plus Red Short	701269-RVLS-MB	60 Months
VL Plus Orange Short	701269-ORSA1-MB	60 Months
VL Plus Yellow Short	701269-YLSA1-MB	60 Months
VL Plus Green Short	701269-GRSA1-MB	60 Months
VL Plus Blue Short	701269-BLSA1-MB	60 Months

#### V Series

Product Description	Part No.	Duration
V Series Red	701269-RLP-MB	60 Months
V Series Red/Orange	701269-ROLP-MB	60 Months
V Series Orange	701269-OLP-MB	60 Months
V Series Yellow	701269-YLP-MB	60 Months
V Series Green	701269-GLPZ-MB	60 Months
V Series Blue	701269-BLP-MB	60 Months
V Series White (7200 K)	701269-WLPY-MB	60 Months
V Series White (4200 K)	701269-WWLPY-MB	60 Months
V Series 2 White (7200 K)	701269-WV2-MB	60 Months

\* Warranty Period subject to all terms and conditions listed herein.

# SloanLED Global Limited Warranty Period Schedule

PAGE 5 OF 6

## Sign and Architectural Lighting

### Sign Cabinet/Box

#### PosterBOX

Product Description	Part No.	Duration*
PosterBOX (6500 K)	701946-CWPBM	60 Months
PosterBOX (5000 K)	701946-NWPBM	60 Months
PosterBOX Slim (6500 K)	701946-6WXL P1	60 Months
PosterBOX Slim (5000 K)	701946-5WXL P1	60 Months
PosterBOX Slim 2 (6500 K)	701946-6WXL P2	60 Months
PosterBOX 3 Long (6500 K)	701946-6WLRP1	60 Months
PosterBOX 3 Short (6500 K)	701946-6WSRP1	60 Months

#### SignBOX

Product Description	Part No.	Duration*
SignBOX	701946-CWSBL	60 Months
SignBOX II Single-sided (6500 K)	701946-6WS201	60 Months
SignBOX II Single-sided (5000 K)	701946-5WS201	60 Months
SignBOX II Double-sided (6500 K)	701946-6WD201	60 Months
SignBOX II Double-sided (5000 K)	701946-5WD201	60 Months
SignBOX RapidStick (6500 K) 18 in	701972-6WD181	60 Months
SignBOX RapidStick (6500 K) 24 in	701972-6WD241	60 Months
SignBOX RapidStick (6500 K) 30 in	701972-6WD301	60 Months
SignBOX RapidStick (6500 K) 36 in	701972-6WD361	60 Months
SignBOX RapidStick (6500 K) 42 in	701972-6WD421	60 Months
SignBOX RapidStick (6500 K) 48 in	701972-6WD481	60 Months
SignBOX RapidStick (6500 K) 60 in	701972-6WD601	60 Months
SignBOX RapidStick (6500 K) 64 in	701972-6WD641	60 Months
SignBOX RapidStick (6500 K) 72 in	701972-6WD721	60 Months
SignBOX RapidStick (6500 K) 84 in	701972-6WD841	60 Months
SignBOX RapidStick (6500 K) 96 in	701972-6WD961	60 Months
SignBOX RapidStick (6500 K) 120 in	701972-6WD1201	60 Months

### Border Tubing/Accent

#### ColorLINE

Product Description	Part No.†	Duration*
Red, Orange, Yellow	701800-Color-X	60 Months
Green, Blue, White, Warm White	701800-Color-X	36 Months

#### FlexiBRITE

Product Description	Part No. †	Duration*
Red, Orange, Yellow	701499-Color-X	60 Months
Green, Blue	701499-Color-X	36 Months

#### LEDStripe

Product Description	Part No.	Duration
Red	701189-XH	60 Months
Orange/Amber	701189-Color-XD	60 Months
White (6500 K)	701189E-W-XD	36 Months
Green/Blue	701189A-Color-XD	36 Months
Lemon Yellow	701189E-WY-XD	36 Months
Custom Colors	701189-Color-X	36 Months

### Fluorescent Alternative

#### HighLINER

Product Description	Part No.	Duration*
HighLINER, 5000 K, 4' (1.2 m)	701912	60 Months
HighLINER, 6500 K, 4' (1.2 m)	701912-65	60 Months
HighLINER 2, 5000 K, 4' (1.2 m)	701912-C1175	60 Months
HighLINER 2, 5000 K, 1' (0.3 m)	701912-L1C1175	60 Months
HighLINER 2, 3500 K, 4' (1.2 m)	701912-35C2175	60 Months
HighLINER 2, 3500 K, 1' (0.3 m)	701912-L135C2175	60 Months

#### SlimLINER

Product Description	Part No.	Duration*
SlimLINER	701956-5WL461	60 Months

### Power Supplies

#### Power Supplies – 12 VDC

Product Description	Part No.	Duration*
Self-Contained 20 W	701680	60 Months
Compact 12/25 W	410174	60 Months
60C1 60 W	701507-60C1	60 Months
60W1 60 W	701507-60W1	60 Months
MODW 60 W	701507-MODW	60 Months
MODWE 60 W	701507-MODWE	60 Months
MOD277 60 W	701507-MOD277	60 Months
120D1 120 W	701507-120D1	60 Months

#### Power Supply – 24 VDC

Product Description	Part No.	Duration*
24 VDC 100 W	701895-24C	60 Months

#### Dimming Solutions

Product Description	Part No.	Duration*
Dimming Control Box	701843	60 Months
Dimming Module	701817	60 Months

\* Warranty Period subject to all terms and conditions listed herein.

† "X" in part number denotes size (where multiple sizes are available).

All sizes are covered under the warranty stated.

# SloanLED Global Limited Warranty Period Schedule

PAGE 6 OF 6

## Spa Lighting

### Bullet Lights

Product Description	Part No.	Duration*
Quad-LED Bullet	701564-4-DLO	36 Months
Dual-LED Bullet	701564-2-DLO	36 Months
Single-LED Bullet	701564-1-DLO	36 Months
Quad-LED Bullet, extra long leads	701564-4-DLO-XL	36 Months
Quad-LED Bullet, extended length	701564-4-DLO-38	36 Months
Bullet Lens	400372	36 Months
Bullet Nut	400338	36 Months
O-Ring, .364 IDX .070 CS	400417	36 Months
O-Ring, .362 IDX .130 CS	400510	36 Months

### Cluster Main Lights

Product Description	Part No.	Duration*
21-LED Cluster	701570-21-DLSO	36 Months
14-LED Cluster	701570-14-DLSO	36 Months
7-LED Cluster	701570-7-DLSO-S	36 Months

### Perimeter and Skirt Lights

6' Premium Perimeter String	701755-M4-18-DLO	36 Months
Skirt Light	701787	36 Months

### Controllers

Multi-Zone Controller	701898-DLO	36 Months
Control 40	701678-DLO	36 Months
9-LED Mini UltraBrite Light w/ Bi-Pin	701861-9-P	36 Months

### UltraBRITE LED Light

12-LED UltraBRITE Light	701739-SAO	36 Months
-------------------------	------------	-----------

### Accessories

2' Jumper Cable	410117-24-O	36 Months
5' Jumper Cable	410117-60-O	36 Months

## Classical Lighting

### Classical Lighting Products

Product Description	Part No.	Duration*
Indicator lights	All part numbers	60 months

\* Warranty Period subject to all terms and conditions listed herein.

Customer service and technical support  
5725 Olivas Park Drive  
Ventura, California 93003  
888 747 4LED (888 747 4533)  
SloanLED.com • info@SloanLED.com

Europe: Customer service and technical support  
Overslagweg 7  
2645 EK Delfgauw, The Netherlands  
+31 88 12 44 900  
SloanLED.com • Europe@SloanLED.com

