

GRIP-FLEX[®] T4000 SURFACE CLEANER

JUNE 2012

FOR PROFESSIONAL USE ONLY

Description

T4000 is a mild solvent based cleaner for use on most plastic substrates. T4000 can also be used as a paint remover for polycarbonate.



Contains a blend of alcohol solvents. A solvent protecting respirator should be used especially when working in confined areas and always wear protective gloves.


SUITABLE SURFACES:

Polycarbonate, acrylic, ABS, styrene, PVC, flexible membrane and most plastic surfaces.



SUBSTRATE PRE-CLEANING METHOD

With a clean lint free rag, degrease plastic with T4000 to remove solvent soluble contaminants. Wipe dry with clean lint free rags.



TO REMOVE STATIC ELECTRICITY

Blend equal parts of T4000 and clean distilled water at a mix ratio of 1:1 by volume.



Mist on this blend with a pump sprayer

Wipe dry with clean soft cotton or soft paper towels

NOTE:

Never allow the T4000 to evaporate on the surface being cleaned. Immediately wipe the surface completely dry with a clean lint free towel.

GRIP-FLEX[®] T4000 SURFACE CLEANER

JUNE 2012

FOR PROFESSIONAL USE ONLY

Description

T4000 is a mild solvent based cleaner for use on most plastic substrates. T4000 can also be used as a paint remover for polycarbonate.

Suitable substrates

Polycarbonate, acrylic, ABS, styrene, PVC, flexible membrane and most plastic surfaces..

Products and additives

PRODUCT: T4000 Surface Cleaner

Item #386623

Basic raw materials

Contains solvents, surfactants and other ingredients

VOC

T4000 Surface Cleaner

6.75 lb/gal. 811 g/liter

Product storage

Store products unopened, and used products with closed lids preferably between 70°F-95°F (10°C-35°C)

Avoid too much temperature fluctuation, optimal storage temperature approximately 70°F (20°C)

SHELF LIFE:

Four years if stored unopened at room temperature..

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE: The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Coatings brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Head Office

Akzo Nobel Signfinishes Inc.
3785 Parkway Lane, Norcross, GA 30092, USA.
770-662-8464

ON THE WEB AT:

www.signfinishes.com